20 Rec'd PCT/PTO 0 3 AUG 2001

PATENTS MICHINEY

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

		78.2
In re Application of:)	<i>1</i> ? • • •
TOSHIHISA INOUE, ET AL.)) Atten: PCT (T _C
Serial No.: 09/701,962) DO/EO/US	REO AUS Received
Filed: DECEMBER 5, 2000 (National Phase of PCT/JP99/003013 filed June 4, 1999))	22 200 24 701
For: ION ACTIVITY-MEASURING DEVICE AND METHOD FOR PRODUCING THE SAME) .	Room

RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

BOX PCT Assistant Commissioner for Patents Washington, DC 20231 Sir:

Responsive to the Notice of Non-Compliant Amendment (37 CFR 1.121) dated June 28, 2001, the applicants traverse the finding that the Preliminary Amendment in this application failed to comply with 37 CFR 1.121, as amended on September 8, 2000. That amendment became effective for amendments filed on March 1, 2001 or later. However, the Preliminary Amendment in this application was submitted December 5, 2000 with the request to enter the national phase. Accordingly, that amendment met the formal requirements in effect at the time of its filing.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, DC 2023, on July 30, 2001.

Roger T. Frost - Reg. No. 22,176